



Image may differ from product. See technical specification for details.

HM 3052

미터 단위 사다리꼴 나사산이 있는 잠금 너트, 클립에 의한 잠금용

HM lock nuts are used to locate bearings onto a shaft. They have metric trapezoidal threads and eight equally spaced slots located around their circumference to accommodate an impact spanner. They should be locked by a locking clip to prevent unintentional loosening. HM lock nuts can be reused, provided they are not damaged.

- 간단하고 안정적이며 신뢰할 수 있는 고정 요소, 설치 및 제거가 용이함, 새로운 잠금 클립과 재사용 가능, 나사산 Tr 220×4 ~ Tr 1120×8(크기 44 ~ /1120)에 사용 가능

개요

치수

나사산 형변	Tr 260×4
보어 직경	260 mm
외경	310 mm
너비	34 mm


속성

고정 장치	고정 클립
유압 장착 너트	아니오
관련 장착 도구	TMFN 40-52

물류

제품 순 중량	4.9 kg
eClass 코드	23-11-07-05
UNSPSC 코드	31163218

기술 사양



치수

G	Tr 260×4	나사산
d ₃	310 mm	외경
B	34 mm	너비
d ₁	290 mm	고정 측면 직경
d ₂	273 mm	고정 클립용 피치 직경 나사산 구멍
B ₅	46 mm	고정 클립이 포함된 너비
b	20 mm	로케이팅 슬롯 너비
h	10 mm	로케이팅 슬롯 깊이

장착 정보

관련 스페너	TMFN 40-52
--------	------------

관련 제품

고정 장치	MS 3052-48
-------	------------

호환 제품

권장 제품

미터 단위 잠금 너트용 잠금 클립	MS 3052-48
--------------------	------------

이용약관