



Image may differ from product. See technical specification for details.



TKDT 10

Contact thermometer

The SKF Thermometer TKDT 10 is suitable for a wide range of applications. It is a pocket sized, user friendly instrument with a wide temperature measurement range and it has the option to connect up to two temperature probes for simultaneous measurements. The TKDT 10 is supplied with a temperature probe included.

- 대형 백라이트 LCD 화면으로 가독성 향상, 추가 온도 프로브로 두 가지 온도 동시 측정 가능, 가독성을 높이기 위해 표시 온도를 정지시키는 홀드 기능, 사용자 선택 가능한 자동 전원 끄기 기능, 온도 프로브 포함

개요

치수

장비 치수	160 × 63 × 30 mm
케이스 치수(l x h x w)	530 × 85 × 180 mm

성능

프로브 사용 온도 범위	-200 – 1372 °C
--------------	----------------

속성

Probe response time	2.3 s
계기 무게	200 g
권장 보관 온도	-10 – 60 °C
권장 용도	Used in applications where an accurate temperature measurement on non moving hard surfaces is required E.g. bearings, bearing housings, pumps, compressors and other machines. Also suited for use with SKF TIH induction heaters for measuring the difference between the bearing inner and outer ring temperatures during bearing heating.
내용	1x SKF Thermometer TKDT 10 1x Contact probe TMDT 2-30 3x AAA batteries 1x printed QR card
디스플레이	LCD with dual temperature display with switchable backlight
배터리	3x AAA (LR03) Alkaline (incl.)
배터리 사용 수명	18 hours typical use (backlight on) h
보호 정도(IP)	IP 40
상대 습도	10 to 90% RH non-condensing
연결	2x Type-K connectors
자동 꺼짐	20 min, off
작동 온도 범위	0 – 50 °C
측정 모드	°C, °F, K
컬러	청색, 짙은 회색
특수 기능	Min, max, average, differential, dual temperature, hold, timer
프로브	Supplied with K type probe, TMDT 2-30 included (max. 900 °C) Other probes optional
하우징 재료	Plastic thermoplastic rubber
해상도	0.1 °C/°F (below 999.9) 1 °C/°F (above 1000)

물류

제품 순 중량	1.11 kg
eClass 코드	23-05-19-01
UNSPSC 코드	41112202

호환 제품

액세서리

자기 표면 프로브, K-타입 열전대	TMDT 2-31
Temperature probes	TMDT 2-32

직각 표면 프로브, K-유형 열전대	TMDT 2-33
기체 및 액체 프로브, K-유형 열전대	TMDT 2-34
Gas and liquid probe, K-type thermocouple, with thin shank and faster response	TMDT 2-34/1.5
끝이 뾰족한 프로브, K-유형 열전대	TMDT 2-35
파이프 클램프 프로브, K-타입 열전대	TMDT 2-36
연장 케이블, K-유형 열전대	TMDT 2-37
Temperature probes	TMDT 2-37/4M
와이어 프로브, K-타입 열전대	TMDT 2-38
고온 와이어 프로브, K-타입 열전대	TMDT 2-39
회전 프로브, K-유형 열전대	TMDT 2-40
Temperature probes	TMDT 2-41
주변 온도 프로브, K-타입 열전대	TMDT 2-42
고강도 표면 프로브, K-유형 열전대	TMDT 2-43

예비 부품

표준 표면 프로브, K-유형 열전대	TMDT 2-30
---------------------	-----------

이용약관