



Image may differ from product. See technical specification for details.



TMFN 23-30

Impact Spanner

The TMFN impact spanners are designed for safely tightening and loosening larger locknuts, especially after driving up a large bearing onto a tapered seating. Made of spheroidal graphite cast iron, they have a special impact surface allowing for optimum transmission of impact energy to the nut.

- Minimises locknut damage
- Designed to fit a number of different nut sizes
- Spanners with zinc coating, corrosion resistant handle

개요

치수

Outer diameter lock nut (range) (d ₃)	150 – 190 mm
Handle length (L _h)	208 mm
Nose width (N _k)	23 mm
Nose height (N _h)	4.5 mm
Nose Length (f)	11.5 mm
Thickness (n)	23 mm
Length (L)	319 mm
Working length (l)	300 mm
Height (H)	140 mm

속성

권장 용도	To safely tighten or loosen lock nuts after driving up large bearings on tapered seatings when working with rotating components in variety of applications with medium to large bearings and lock nuts.
Series	Impact spanner, TMFN
유형	Model E
베어링 장착 허용	아니오
SKF 분할 필로우 블록 하우징(SNL) 내부의 잠금 너트에 적합	아니오
Locknut size	23 – 30
Suitable SKF Locknut	KM 23, KM 24, KM 25, KM 26, KM 27, KM 28, KM 29, KM 30, KM 31, KMFE 24, KMFE 26, KMFE 28, KML 26, KML 28, KML 30, KML 32, KMT 26, KMT 28, KMT 30, AN 22, AN 24, AN 26, AN 28, N 022, N 023, N 024, N 026, N 028, N 030, N 032
핸들 고정	고무 댐퍼로 고정됨
재료	헤드: 구형 주철, 손잡이: 탄소강
자재 처리	고무 그립이 있는 강철 핸들
코팅	아연도금 핸들이 있는 검정색 인산염 헤드
컬러	Black metallic, silver

물류

제품 순 중량	1.38 kg
eClass 코드	23-05-19-01
UNSPSC 코드	27111712

이용약관