



Image may differ from product. See technical specification for details.



TMMK 20-50

Combined mounting and dismounting kit for deep groove ball bearings

The SKF TMMK series is designed for the quick and precise mounting and dismounting of deep groove ball bearings from and in shafts, housings and blind housings. For mounting, a multi-purpose fitting tool is included which is suitable for mounting bearings as well as bushings, seal rings, belt pulleys and other similar products. The puller for dismounting grips inside the deep groove bearings raceway with especially designed claws.

- For selected deep groove bearing the one kit to dismount and mount them
- Allows dismounting bearings from all bearing arrangements
- Easy to select and assemble puller
- Dismounting force generation by hammer or spindle
- Multi-purpose fitting tool included
- Mounting force generation with a dead blow hammer for higher efficiency

개요

치수

Workpiece bore diameter (mounting)	20 - 50 mm
Workpiece bore diameter (dismounting)	20 - 100 mm
공작물 깊이(최대)	Dismounting: with arms A2: 135 mm, A3: 137 mm, A4: 162 mm, A5: 167 mm, A6: 170 mm Mounting: with Sleeve B: 221mm, C:226 mm
암 전체 길이	Arm A2: 189 mm Arm A3: 193 mm Arm A4: 226 mm Arm A5: 231 mm Arm A6: 236 mm
스핀들 유효 길이	Spindle S1: 214 mm Spindle S2: 214 mm
스핀들 전체 길이	Spindle S1: 275 mm Spindle S2: 288 mm
스핀들 헤드, 육각형 크기	Spindle S1: 19 mm Spindle S2: 24 mm
슬리브 외부 길이	B: 235 mm C: 245 mm
슬리브 외경	B: 45 mm C: 66 mm
해머 길이	12.4016 in
해머 너비	4.5276 in
케이스 치수(l x h x w)	530 × 110 × 360 mm

속성

권장 용도	산업, 건설 및 농업 응용 분야에서 베어링, 부상, 썰, 링, 풀리를 수작업으로 장착하는 용도, 직선 축 및/또는 하우징을 사용한 다양한 응용 분야에서 SKF DGBB를 탈착하는 용도.
장착력 생성	해머
원추형 시트(직선 축)에 공작물을 장착하는 데 적합	예
테이퍼형 시트(원추형 축)에 베어링 장착하는 데 적합	권장되지 않음
슬리브에 베어링 장착하는 데 적합(어댑터 또는 인출구)	권장되지 않음
블라인드 배열(축이 있는 하우징)의 공작물 장착에 적합	예
하우징에 공작물을 장착하는 데 적합	예
탈착력 생성	기계식 스팀들 또는 슬라이딩 해머
원추형 시트(직선 축)에 공작물을 탈착하는 데 적합	예
테이퍼형 시트(원추형 축)에 베어링을 탈착하는 데 적합	아니오
슬리브에 베어링을 탈착하는 데 적합(어댑터 또는 인출 슬리브)	아니오
블라인드 배열(축이 있는 하우징)의 공작물 탈착에 적합	예
하우징에 공작물을 탈착하는 데 적합	예
베어링 유형(들)에 적합	장착: 모든 유형, SKF 깊은 홈 볼 베어링(DGBB)
장착물의 허용온도	-54 - 198 °F
암의 개수	5 sets of 3, named A2 to A6
링 개수	36
링 모델	2, B와 C로 이름지어짐
슬리브 개수	2, B와 C로 이름지어짐
키트의 스팀들 총 개수	2
스핀들 노즈 피스	아니오
해머 유형	데드 블로우 해머
해머 중량	2 lb
해머헤드	슬리브 헤드의 손상을 방지하는 견고한 폴리우레탄(PU)
재료	링: 내충격 폴리아미드(PA), 슬리브 소재: 유리섬유 충전 폴리아미드(PA), 해머: 스틸,PU, 풀러: 중탄소강 및 합금 엔지니어링강, 검정색 인산염 처리, 경화 및 강화됨
컬러	해머: 검은색/청색, 풀러: 검은색 금속, 링: 검은색, 슬리브: 검은색
내용	5x 3개 암 세트,(A1~A5 크기), 2x 스팀들(S1 및 S2 크기), 1x 스팀들 홀더, 1x 슬라이딩 해머, 12x 임팩트 링(B 크기), 9x 임팩트 링 (C 크기), 임팩트 슬리브 B와 C 크기, 1x 데드 블로우 해머, 6x 스팀들 서포트 링, 1x 사용 지침 설명서 1개(언어 자유),1x 운반용 케이스(C 크기)
물류	
제품 순 중량	8.5 kg

eClass 코드	23-05-19-01
UNSPSC 코드	27111712

호환 제품

예비 부품

Spare impact sleeve for Bearing fitting tool	TMFT 36 B
Spare impact ring for Bearing fitting tool	TMFT 36 B20-42
Spare impact ring for Bearing fitting tool	TMFT 36 B20-47
Spare impact ring for Bearing fitting tool	TMFT 36 B20-52
Spare impact ring for Bearing fitting tool	TMFT 36 B25-47
Spare impact ring for Bearing fitting tool	TMFT 36 B25-52
Spare impact ring for Bearing fitting tool	TMFT 36 B25-62
Spare impact ring for Bearing fitting tool	TMFT 36 B30-55
Spare impact ring for Bearing fitting tool	TMFT 36 B30-62
Spare impact ring for Bearing fitting tool	TMFT 36 B30-72
Spare impact ring for Bearing fitting tool	TMFT 36 B35-62
Spare impact ring for Bearing fitting tool	TMFT 36 B35-72
Spare impact ring for Bearing fitting tool	TMFT 36 B35-80
Spare impact sleeve for Bearing fitting tool	TMFT 36 C
Spare impact ring for Bearing fitting tool	TMFT 36 C40-68
Spare impact ring for Bearing fitting tool	TMFT 36 C40-80
Spare impact ring for Bearing fitting tool	TMFT 36 C40-90
Spare impact ring for Bearing fitting tool	TMFT 36 C45-10
Spare impact ring for Bearing fitting tool	TMFT 36 C45-75
Spare impact ring for Bearing fitting tool	TMFT 36 C45-85
Spare impact ring for Bearing fitting tool	TMFT 36 C50-11
Spare impact ring for Bearing fitting tool	TMFT 36 C50-80
Spare impact ring for Bearing fitting tool	TMFT 36 C50-90
Spare slide hammer small for Internal bearing puller kit	TMIP S1
Spare arm for Deep groove ball bearing puller kit	3 x TMMD 100-A2
Spare arm for Deep groove ball bearing puller kit	3 x TMMD 100-A3
Spare arm for Deep groove ball bearing puller kit	3 x TMMD 100-A4
Spare arm for Deep groove ball bearing puller kit	3 x TMMD 100-A5
Spare arm for Deep groove ball bearing puller kit	3 x TMMD 100-A6
Spare spindle with nut, small, for Deep groove ball bearing puller kit	TMMD 100-S1
Spare spindle with nut, big, for Deep groove ball bearing puller kit	TMMD 100-S2

액세서리

Extremely high viscosity bearing grease with solid lubricants [LGEV 2/0.035](#)

Spare dead blow hammer for Bearing fitting tool [TMFT 36-H](#)

Puller protection blanket [TMMX 210](#)

권장 제품

Combined mounting and dismounting kit for deep groove ball bearings [TMMK 10-35](#)

이용약관