



Image may differ from product. See technical specification for details.



TMMS 380

Tri-section pulling plate

3단 풀링 플레이트 TMMS 380은 특히 3암 베어링 풀러와 함께 사용하도록 설계되었습니다. 플레이트는 베어링 내부 링 뒤에 고정되어 당기는 힘이 베어링을 통해 전달되는 것을 방지하여 베어링 손상 위험을 최소화합니다.

- 탈착력을 베어링 내륜에 직접 전달하는 독특한 설계로 효율적인 베어링 분리가 가능, 베어링 외륜과 롤링 요소를 통과하는 탈착력으로 인해 베어링이 손상되지 않음, 힘을 균일하게 분배하여 탈착 중 베어링이 잠기거나 기울어지는 것을 방지할 수 있음, 가발 모양으로 플레이트를 샤프트의 베어링과 슌더 사이에 쉽게 삽입할 수 있음, 모든 3암 베어링 풀러와 함께 사용하기에 적합함

개요

물류

제품 순 중량	45.6 kg
eClass 코드	23-05-19-01
UNSPSC 코드	27111712

속성

권장 용도	풀러를 사용해서 샤프트에 간섭 끼움을 사용하여 산업, 건설 및 농업 응용 분야에서 베어링, 기어, 풀리 및 기타 산업용 링 모양 부품을 분리하는 데 사용. 풀러의 클로가 부품을 적절하게 잡을 수 없는 3암 풀러 보조용.
원추형 시트(직선 축)에 공작물을 탈착하는 데 적합	예
당김 힘(최대)	600 kN
테이퍼형 시트(원추형 축)에 베어링을 탈착하는 데 적합	예
슬리브에 베어링을 탈착하는 데 적합(어댑터 또는 인출 슬리브)	예
블라인드 배열(축이 있는 하우징)의 공작물 탈착에 적합	아니오
연결 나사산	M32×2.5
하우징에 공작물을 탈착하는 데 적합	아니오
탈착력 생성	풀러암으로
나사산처리된 풀링 홀과 함께 제공된 섹션 판	Yes
재료	금 엔지니어링 강철, 경화 및 강화 처리됨
코팅	로드: 검정색 인산염 처리, 판 및 너트, 아연 코팅
컬러	메탈릭과 블랙

치수

외부 그림 너비	140 - 380 mm
풀링 로드 거리	81 - 142 mm
나사산처리된 풀링 홀 거리	97 mm
판 너비	138 mm
판 높이	58 mm
판 팁 너비	14 mm
판 팁 높이	7 mm

호환 제품

권장 제품

Tri-section pulling plate	TMMS 50
Tri-section pulling plate	2 x TMMS 100
Tri-section pulling plate	3 x TMMS 160
Tri-section pulling plate	4 x TMMS 260

권장 도구

Hydraulically-assisted heavy duty jaw puller with Hydraulic pump with large oil container	TMHP 50/140
---	-----------------------------

Hydraulically-assisted heavy duty jaw puller without hydraulic pump	TMHP 50/140X
Hydraulically-assisted heavy duty jaw puller with Hydraulic pump with large oil container	TMHP 50/320
Hydraulically-assisted heavy duty jaw puller without hydraulic pump	TMHP 50/320X
Hydraulically-assisted heavy duty jaw puller with Hydraulic pump with large oil container	TMHP 50/570
Hydraulically-assisted heavy duty jaw puller without hydraulic pump	TMHP 50/570X
Hydraulically-assisted heavy duty jaw puller with Hydraulic pump with large oil container	TMHP 30/170
Hydraulically-assisted heavy duty jaw puller without hydraulic pump	TMHP 30/170X
Hydraulically-assisted heavy duty jaw puller with Hydraulic pump with large oil container	TMHP 30/350
Hydraulically-assisted heavy duty jaw puller without hydraulic pump	TMHP 30/350X
Hydraulically-assisted heavy duty jaw puller with Hydraulic pump with large oil container	TMHP 30/600
Hydraulically-assisted heavy duty jaw puller without hydraulic pump	TMHP 30/600X

이용약관